



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/719,625	11/21/2003	Charles R. Barmore	D-43664-01	3475
28236	7590	05/26/2006	EXAMINER	
CRYOVAC, INC. SEALED AIR CORP P.O. BOX 464 DUNCAN, SC 29334			MIGGINS, MICHAEL C	
			ART UNIT	PAPER NUMBER
			1772	

DATE MAILED: 05/26/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/719,625

Applicant(s)

BARMORE ET AL.

Examiner

Michael C. Miggins

Art Unit

1772

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 27 February 2006.
2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-7, 31 is/are pending in the application.
4a) Of the above claim(s) 3,5 and 6 is/are withdrawn from consideration.
5) ☐ Claim(s) _____ is/are allowed.
6) ☒ Claim(s) 1,2,4,7 and 31 is/are rejected.
7) ☐ Claim(s) _____ is/are objected to.
8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3) ☒ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date 4/2/06 2/27/06
4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____
5) ☐ Notice of Informal Patent Application (PTO-152)
6) ☐ Other: _____

Art Unit: 1772

DETAILED ACTION

REJECTIONS WITHDRAWN

1. The double patenting rejections set forth in the non-final rejection of 8/24/05, pages 2-3, paragraphs 2-3 have been withdrawn since applicant filed a terminal disclaimer.

REJECTIONS REPEATED

2. All of the 103 rejections set forth in the non-final rejection of 8/24/05, pages 3-5, paragraphs 4-6 are repeated for the reasons of record. Applicant has added the limitation "Wherein the oxygen indicator is substantially shielded by oxygen barrier layers from oxygen in the environment surrounding the container, and from oxygen in any headspace within the container" which is disclosed in Putnam (column 11, line 17 through column 12, line 12).

NEW REJECTIONS

Claim Rejections - 35 USC § 103

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. Claim 31 is rejected under 35 U.S.C. 103(a) as being unpatentable over Speer et al. (US 5529833) in view of Putnam et al. (US 6794191).

Putnam discloses wherein the oxygen barrier layers that substantially shield the oxygen indicator from oxygen in the environment surrounding the container, and from oxygen in any headspace within the container, are selected from the group consisting of discrete layers with a relatively low oxygen transmission rate, and adhesive or other layers which allow limited ingress of oxygen, but at a rate that allows the indicator to be monitored for an indication of the presence or absence of oxygen dissolved in the solid material carrying the oxygen scavenger, without significant influence from atmospheric effects (column 11, line 17 through column 12, line12).

ANSWERS TO APPLICANT'S ARGUMENTS

5. Applicant's arguments filed 2/27/06 have been carefully considered but are deemed unpersuasive.

Applicant has argued that all of Putnam's disclosure is drawn to measuring oxygen within a sealed container or within the headspace of the container and that the claimed invention recites an oxygen indicator which is shielded from environmental oxygen, i.e. sandwiched between two barrier layers. However, Putnam clearly discloses a laminate of barrier/indicator/scotch tape (column 11, line 17 through column 12, line12). It specifically stated that scotch tape is a barrier layer and thus Putnam discloses an indicator that is sandwiched between two barrier layers and is thus substantially shielded from oxygen (see column 11, lines 51-67). Furthermore, Putnam specifically states that the indicator is used to measure the kinetics within the film structures and not just environmental oxygen (column 12, lines 1-12).

Conclusion

6. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the date of this final action.


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Michael C. Miggins whose telephone number is 571-272-1494. The examiner can normally be reached on 1:00-10:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Harold Y. Pyon can be reached on 571-272-1498. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 1772

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Michael C. Miggins
Primary Examiner
Art Unit 1772

A handwritten signature in black ink, appearing to read "Michael C. Miggins", with a long horizontal stroke extending to the right.

MCM
May 15, 2006